

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Book

Search for

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Limits: **only items with abstracts, English**Show:

Text Version

Items 1-39 of 39

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

- ☐ 1: [Leclercq PD, Stephenson MS, Murray LS, McIntosh TK, Graham DJ, Gentleman SM.](#)

Related Articles, Links



Simple morphometry of axonal swellings cannot be used in isolation for dating lesions after traumatic brain injury.

J Neurotrauma. 2002 Oct;19(10):1183-92.

PMID: 12427327 [PubMed - indexed for MEDLINE]

- ☐ 2: [Kotilinek LA, Bacskai B, Westerman M, Kawarabayashi T, Younkin L, Hyman BT, Younkin S, Ashe KH.](#)

Related Articles, Links



Reversible memory loss in a mouse transgenic model of Alzheimer's disease.

J Neurosci. 2002 Aug 1;22(15):6331-5.

PMID: 12151510 [PubMed - indexed for MEDLINE]

- ☐ 3: [Green KN, Boyle JP, Peers C.](#)

Related Articles, Links



Hypoxia potentiates exocytosis and Ca²⁺ channels in PC12 cells via increased amyloid beta peptide formation and reactive oxygen species generation.

J Physiol. 2002 Jun 15;541(Pt 3):1013-23.

PMID: 12068059 [PubMed - indexed for MEDLINE]

- ☐ 4: [Green KN, Peers C.](#)

Related Articles, Links



Divergent pathways account for two distinct effects of amyloid beta peptides on exocytosis and Ca²⁺ currents: involvement of ROS and NF-kappaB.

J Neurochem. 2002 Jun;81(5):1043-51.

PMID: 12065617 [PubMed - indexed for MEDLINE]

- ☐ 5: [Dickey CA, Morgan DG, Kudchodkar S, Weiner DB, Bai Y, Cao C, Gordon MN, Ugen KE.](#)

Related Articles, Links



Duration and specificity of humoral immune responses in mice vaccinated with the Alzheimer's disease-associated beta-amyloid 1-42 peptide.

DNA Cell Biol. 2001 Nov;20(11):723-9.

PMID: 11788050 [PubMed - indexed for MEDLINE]

- ☐ 6: [Green KN, Peers C.](#)

Related Articles, Links



Amyloid beta peptides mediate hypoxic augmentation of Ca²⁺ channels.

J Neurochem. 2001 May;77(3):953-6.

PMID: 11331424 [PubMed - indexed for MEDLINE]

- ☐ 7: [Walter J, Fluhrer R, Hartung B, Willem M, Kaether C, Capell A, Lammich S, Multhaup G, Haass C.](#)

Related Articles, Links




















Phosphorylation regulates intracellular trafficking of beta-secretase.

J Biol Chem. 2001 May 4;276(18):14634-41.

PMID: 11278841 [PubMed - indexed for MEDLINE]

- ☐ 8: [Russo C, Salis S, Dolcini V, Venezia V, Song XH, Teller JK, Schettini G.](#)

Related Articles, Links

-  **Amino-terminal modification and tyrosine phosphorylation of [corrected] carboxy-terminal fragments of the amyloid precursor protein in Alzheimer's disease and Down's syndrome brain.**
Neurobiol Dis. 2001 Feb;8(1):173-80.
PMID: 11162251 [PubMed - indexed for MEDLINE]
-  **9: [Stone JR](#), [Singleton RH](#), [Povlishock JT](#).** Related Articles, Links
-  **Antibodies to the C-terminus of the beta-amyloid precursor protein (APP): a site specific marker for the detection of traumatic axonal injury.**
Brain Res. 2000 Jul 21;871(2):288-302.
PMID: 10899295 [PubMed - indexed for MEDLINE]
-  **10: [Piccini A](#), [Ciotti MT](#), [Vitolo OV](#), [Calissano P](#), [Tabaton M](#), [Galli C](#).** Related Articles, Links
-  **Endogenous APP derivatives oppositely modulate apoptosis through an autocrine loop.**
Neuroreport. 2000 May 15;11(7):1375-9.
PMID: 10841341 [PubMed - indexed for MEDLINE]
-  **11: [Taylor SC](#), [Batten TF](#), [Peers C](#).** Related Articles, Links
-  **Hypoxic enhancement of quantal catecholamine secretion. Evidence for the involvement of amyloid beta-peptides.**
J Biol Chem. 1999 Oct 29;274(44):31217-22.
PMID: 10531316 [PubMed - indexed for MEDLINE]
-  **12: [Young MJ](#), [Lee RK](#), [Jhaveri S](#), [Wurtman RJ](#).** Related Articles, Links
-  **Intracellular and cell-surface distribution of amyloid precursor protein in cortical astrocytes.**
Brain Res Bull. 1999 Sep 1;50(1):27-32.
PMID: 10507468 [PubMed - indexed for MEDLINE]
-  **13: [Abraham CR](#), [Marshall DC](#), [Tibbles HE](#), [Otto K](#), [Long HJ](#), [Billingslea AM](#), [Hastey R](#), [Johnson R](#), [Fine RE](#), [Smith SJ](#), [Simons ER](#), [Davies TA](#).** Related Articles, Links
-  **Platelets and DAMI megakaryocytes possess beta-secretase-like activity.**
J Lab Clin Med. 1999 May;133(5):507-15.
PMID: 10235134 [PubMed - indexed for MEDLINE]
-  **14: [Simons ER](#), [Marshall DC](#), [Long HJ](#), [Otto K](#), [Billingslea A](#), [Tibbles H](#), [Wells J](#), [Eisenbauer P](#), [Fine RE](#), [Cribbs DH](#), [Davies TA](#), [Abraham CR](#).** Related Articles, Links
-  **Blood brain barrier endothelial cells express candidate amyloid precursor protein-cleaving secretases.**
Amyloid. 1998 Sep;5(3):153-62.
PMID: 9818052 [PubMed - indexed for MEDLINE]
-  **15: [Hayashi Y](#), [Fukatsu R](#), [Tsuzuki K](#), [Yoshida T](#), [Sasaki N](#), [Kimura K](#), [Yamaguchi H](#), [St George-Hyslop PH](#), [Fujii N](#), [Takahata N](#).** Related Articles, Links
-  **Evidence for presenilin-1 involvement in amyloid angiopathy in the Alzheimer's disease-affected brain.**
Brain Res. 1998 Apr 13;789(2):307-14.
PMID: 9573389 [PubMed - indexed for MEDLINE]
-  **16: [Singhrao SK](#), [Thomas P](#), [Wood JD](#), [MacMillan JC](#), [Neal JW](#), [Harper PS](#), [Jones AL](#).** Related Articles, Links
-  **Huntingtin protein colocalizes with lesions of neurodegenerative diseases: An investigation in Huntington's, Alzheimer's, and Pick's diseases.**
Exp Neurol. 1998 Apr;150(2):213-22.
PMID: 9527890 [PubMed - indexed for MEDLINE]
- [Yanagisawa K](#), [Ihara Y](#). Related Articles, Links

17:



GM1 ganglioside-bound amyloid beta-protein in Alzheimer's disease brain.
Neurobiol Aging. 1998 Jan-Feb;19(1 Suppl):S65-7.
PMID: 9562471 [PubMed - indexed for MEDLINE]

18:

Busciglio J, Hartmann H, Lorenzo A, Wong C, Baumann K,
Sommer B, Staufenbiel M, Yankner BA.

Related Articles, Links



Neuronal localization of presenilin-1 and association with amyloid plaques
and neurofibrillary tangles in Alzheimer's disease.
J Neurosci. 1997 Jul 1;17(13):5101-7.
PMID: 9185547 [PubMed - indexed for MEDLINE]

19:

Ghiso J, Calero M, Matsubara E, Governale S, Chuba J, Beavis R,
Wisniewski T, Frangione B.

Related Articles, Links



Alzheimer's soluble amyloid beta is a normal component of human urine.
FEBS Lett. 1997 May 12;408(1):105-8.
PMID: 9180278 [PubMed - indexed for MEDLINE]

20:

Matsumoto A, Enomoto T, Fujiwara Y, Baba H, Matsumoto R.

Related Articles, Links



Enhanced aggregation of beta-amyloid-containing peptides by extracellular
matrix and their degradation by the 68 kDa serine protease prepared from
human brain.
Neurosci Lett. 1996 Dec 20;220(3):159-62.
PMID: 8994217 [PubMed - indexed for MEDLINE]

21:

Stephens DJ, Austen BM.

Related Articles, Links



Metabolites of the beta-amyloid precursor protein generated by beta-
secretase localise to the trans-Golgi network and late endosome in 293
cells.
J Neurosci Res. 1996 Oct 15;46(2):211-25.
PMID: 8915898 [PubMed - indexed for MEDLINE]

22:

Conn KJ, Pietropaolo M, Ju ST, Abraham CR.

Related Articles, Links



Monoclonal antibodies against the human metalloprotease EC 3.4.24.15
label neurofibrillary tangles in Alzheimer's disease brain.
J Neurochem. 1996 May;66(5):2011-8.
PMID: 8780030 [PubMed - indexed for MEDLINE]

23:

Szendrei GI, Prammer KV, Vasko M, Lee VM, Otvos L Jr.

Related Articles, Links



The effects of aspartic acid-bond isomerization on in vitro properties of the
amyloid beta-peptide as modeled with N-terminal decapeptide fragments.
Int J Pept Protein Res. 1996 Apr;47(4):289-96.
PMID: 8738655 [PubMed - indexed for MEDLINE]

24:

Jeffrey M, Goodsir CM, Fowler N, Hope J, Bruce ME, McBride
PA.

Related Articles, Links



Ultrastructural immuno-localization of synthetic prion protein peptide
antibodies in 87V murine scrapie.
Neurodegeneration. 1996 Mar;5(1):101-9.
PMID: 8731389 [PubMed - indexed for MEDLINE]










25:

Tsuzuki K, Fukatsu R, Takamaru Y, Yoshida T, Hayashi Y,
Yamaguchi H, Fujii N, Takahata N.

Related Articles, Links



Amyloid beta protein in rat soleus muscle in chloroquine-induced
myopathy using end-specific antibodies for A beta 40 and A beta 42:
immunohistochemical evidence for amyloid beta protein.
Neurosci Lett. 1995 Dec 29;202(1-2):77-80.
PMID: 8787835 [PubMed - indexed for MEDLINE]

-  **26:** Argiles A, Garcia-Garcia M, Derancourt J, Mourad G, Demaille JG. [Related Articles](#), [Links](#)
Beta 2 microglobulin isoforms in healthy individuals and in amyloid deposits.
Kidney Int. 1995 Nov;48(5):1397-405.
PMID: 8544395 [PubMed - indexed for MEDLINE]
-  **27:** Piccardo P, Ghetti B, Dickson DW, Vinters HV, Giaccone G, Bugiani O, Tagliavini F, Young K, Dlouhy SR, Seiler C, et al. [Related Articles](#), [Links](#)
Gerstmann-Straussler-Scheinker disease (PRNP P102L): amyloid deposits are best recognized by antibodies directed to epitopes in PrP region 90-165.
J Neuropathol Exp Neurol. 1995 Nov;54(6):790-801.
PMID: 7595652 [PubMed - indexed for MEDLINE]
-  **28:** Matsumoto A, Matsumoto R, Baba H, Fujiwara Y. [Related Articles](#), [Links](#)
A serine protease in Alzheimer's disease cells cleaves a 16K-peptide with flanking residues upstream to beta-amyloid-N-terminus as natural substrate.
Neurosci Lett. 1995 Aug 11;195(3):171-4.
PMID: 8584202 [PubMed - indexed for MEDLINE]
-  **29:** Simons M, Ikonen E, Tienari PJ, Cid-Arregui A, Monning U, Beyreuther K, Dotti CG. [Related Articles](#), [Links](#)
Intracellular routing of human amyloid protein precursor: axonal delivery followed by transport to the dendrites.
J Neurosci Res. 1995 May 1;41(1):121-8.
PMID: 7674373 [PubMed - indexed for MEDLINE]
-  **30:** Jakes R, Harrington CR, Spillantini MG, Goedert M, Klug A. [Related Articles](#), [Links](#)
Characterisation of an antibody relevant to the neuropathology of Alzheimer disease.
Alzheimer Dis Assoc Disord. 1995 Spring;9(1):47-51.
PMID: 7605621 [PubMed - indexed for MEDLINE]
-  **31:** Dreyer RN, Bausch KM, Fracasso P, Hammond LJ, Wunderlich D, Wirak DO, Davis G, Brini CM, Buckholz TM, Konig G, et al. [Related Articles](#), [Links](#)
Processing of the pre-beta-amyloid protein by cathepsin D is enhanced by a familial Alzheimer's disease mutation.
Eur J Biochem. 1994 Sep 1;224(2):265-71.
PMID: 7523115 [PubMed - indexed for MEDLINE]
-  **32:** Matsumoto A, Fujiwara Y. [Related Articles](#), [Links](#)
Ca(2+)-dependent 68-kilodalton protease in familial Alzheimer's disease cells cleaves the N-terminus of beta-amyloid.
Biochemistry. 1994 Apr 5;33(13):3941-8.
PMID: 8142398 [PubMed - indexed for MEDLINE]
-  **33:** Beeson JG, Shelton ER, Chan HW, Gage FH. [Related Articles](#), [Links](#)
Differential distribution of amyloid protein precursor immunoreactivity in the rat brain studied by using five different antibodies.
J Comp Neurol. 1994 Apr 1;342(1):78-96.
PMID: 8207129 [PubMed - indexed for MEDLINE]
-  **34:** Askanas V, Engel WK, Alvarez RB. [Related Articles](#), [Links](#)
Strong immunoreactivity of beta-amyloid precursor protein, including the beta-amyloid protein sequence, at human neuromuscular junctions.
Neurosci Lett. 1992 Aug 31;143(1-2):96-100.
PMID: 1436686 [PubMed - indexed for MEDLINE]

☐ **35:** [Shioi J, Anderson JP, Ripellino JA, Robakis NK.](#)

[Related Articles](#), [Links](#)



Chondroitin sulfate proteoglycan form of the Alzheimer's beta-amyloid precursor.

J Biol Chem. 1992 Jul 15;267(20):13819-22.
PMID: 1629183 [PubMed - indexed for MEDLINE]

☐ **36:** [Ghisso J, Wisniewski T, Vidal R, Rostagno A, Frangione B.](#)

[Related Articles](#), [Links](#)



Epitope map of two polyclonal antibodies that recognize amyloid lesions in patients with Alzheimer's disease.

Biochem J. 1992 Mar 1;282 (Pt 2):517-22.
PMID: 1372166 [PubMed - indexed for MEDLINE]

☐ **37:** [Linke RP, Geisel O, Mann K.](#)

[Related Articles](#), [Links](#)



Equine cutaneous amyloidosis derived from an immunoglobulin lambda-light chain. Immunohistochemical, immunochemical and chemical results.

Biol Chem Hoppe Seyler. 1991 Sep;372(9):835-43.
PMID: 1772596 [PubMed - indexed for MEDLINE]

☐ **38:** [Tate-Ostroff B, Majocha RE, Walcott EC, Ventosa-Michelman M, Marotta CA.](#)

[Related Articles](#), [Links](#)



Colocalization of amino terminal and A4 (beta-amyloid) antigens in Alzheimer plaques: evidence for coordinated processing of the amyloid precursor protein.

J Geriatr Psychiatry Neurol. 1990 Jul-Sep;3(3):139-45.
PMID: 2126439 [PubMed - indexed for MEDLINE]

☐ **39:** [Fykse EM, Sletten K, Husby G, Cornwell GG 3rd.](#)

[Related Articles](#), [Links](#)



The primary structure of the variable region of an immunoglobulin IV light-chain amyloid-fibril protein (AL GIL).

Biochem J. 1988 Dec 15;256(3):973-80.
PMID: 3146981 [PubMed - indexed for MEDLINE]

Show:

Items 1-39 of 39

One page.

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

May 2 2003 16:34:23